
# CSE 332 Introduction to Visualization

## INTRODUCTION

### KLAUS MUELLER

COMPUTER SCIENCE DEPARTMENT STONY BROOK UNIVERSITY

## WHY ARE YOU HERE?




The growth of jobs mentioning "data visualization" as a skill from 2010 through 2017 has steadily increased from only 1,888 jobs in 2010 to 30,327 jobs in 2017 (16×growth)

# "VISUALIZATION" SKILL...



Designer

... is needed everywhere




Source: Ryan et al, IEEE CG&A, 2019 using data from <u>Labor Insight</u>

## WHAT OTHER SKILLS?

#### Data Visualization Top Baseline (Soft) Skills

Of ~31k visualization related jobs posted between March 2017 and February 2018, ~16k listed the broad skill of communication as the top "soft" skill. Many of the other top soft skills, including problem solving, detail-oriented, and planned all fall into a larger project management skillset. Source: Labor Insight (Burning Glass Technologies)



Baseline, or "soft" skills listed for these 30k "Data Visualization" jobs.

## Skills, Reading Between The Lines

Communication, when mentioned in conjunction with data visualization really means:

- communication of information derived from data
- visual story telling with data
- half of the data analytics projects fail due to poor communication (according to L. Kart, N. Neudecker, F. Buytendijk, Gartner Report GG0255160, 2013)

Apart from the specialized skills, these general skills (or proficiencies) are also often listed:

- SQL
- Tableau (41%),
- Excel (34%), PowerPoint (16%)
- Python (30%), SAS (22%), R (16%), Plotly (?%)
- JavaScript & JavaScript-based data-driven documents D3.js (13%)

Source: Ryan et al, IEEE CG&A, 2019 using data from Labor Insight

## Skills, Reading Between The Lines

Communication, when mentioned in conjunction with data visualization really means:

- communication of information derived from data
- visual story telling with data
- half of the data analytics projects fail due to poor communication (according to L. Kart, N. Neudecker, F. Buytendijk, Gartner Report GG0255160, 2013)

Apart from the specialized skills, these general skills (or proficiencies) are also often listed:


- SQL
- Tableau (41%),
- Excel (34%), PowerPoint (16%)
- Python (30%), SAS (22%), R (16%), Plotly (?%)
- JavaScript & JavaScript-based data-driven documents D3.js (13%)

Source: Ryan et al, IEEE CG&A, 2019 using data from Labor Insight

# VISUALIZATION IS NOT NEW

## RICH HISTORY

Let's go back some 160 years to 1854, London, England



## NEWSFLASH, 1854

The most terrible outbreak of cholera which ever occurred in this kingdom, is probably that which is taking place in Broad Street, Golden Square, and adjoining streets.

Within two hundred and fifty yards of the spot where Cambridge Street joins Broad Street, there are upwards of five hundred fatal attacks of cholera in ten days.

The mortality in this limited area probably equals any that was ever caused in this country, even by the plague; and it is much more sudden, as the greater number of cases terminated in a few hours.


## WHAT CAN WE DO?

WHAT IS THE CAUSE?

HOW CAN WE ELIMINATE IT?

# TIME FOR "IMAGINATION"





John Inow

## PROVED THE HYPOTHESIS

#### Hypothesis: cholera spreads through water

- and not via some other fantastic causes
- one said it rose out of the burying grounds of plague victims from two centuries earlier
- the bacteria was discovered later, in 1886

#### A real-life experiment (often the case with observational data)

- established the mode of cholera transmission
- and consequently the method of prevention: keep drinking water, food, and hands clear of infected sewage

#### Visualization provided

- inspiration
- convincing arguments to justify actions
- led to Dr. John Snow's historic immortality
- a bar near the old Broad Street pump bears his name (safe drinking)



# What Is Needed for Visualization – Some Appropriate Answers

#### Data (wide variety)

#### Algorithms

- data mining
- data analytics

#### Computer

- run those algorithms
- data storage

#### Humans

- with a purpose/need to understand their data
- endowed with cognitive faculties, creative thought, intuition
- domain expertise

#### Understanding of humans

- perception, cognition, HCI issues
- we can gain it through experimentation with humans

# What Is Needed for Visualization – Some Appropriate Answers

#### Data (wide variety)

#### Algorithms

- data mining
- data analytics

#### Computer

- run those algorithms
- data storage

#### Humans

- with a purpose/need to understand their data
- endowed with cognitive faculties, creative thought, intuition
- domain expertise

#### Understanding of humans

- perception, cognition, HCI issues
- we can gain it through experimentation with humans


= Visual Analytics

# DR. JOHN SNOW: A VISUAL ANALYTICS PIONEER

### Dr. John Snow's London Cholera Map of 1854

- data collection
- data assimilation
- statistical testing
- visualization
- computational analysis (brain)
- domain knowledge

Very early example of visual analytics



## MORE RECENT HISTORY


Let's go back some 40 years to 1986, JFK Space Center, FL



The crew of Space Shuttle mission STS-51-L 11/15/85. Back row, left to right: Ellison S. Onizuka, Sharon Christa McAuliffe, Greg Jarvis, Judy Resnik. Front row, left to right: Michael J. Smith, Dick Scobee, Ron McNair.



# 73 SECONDS AFTER LIFT-OFF




## WHAT HAPPENED?


## WHAT WAS THE CAUSE?

# THE DAY OF THE LAUNCH

36 degrees F on Launch Pad 39



# SPACE SHUTTLE 101



# FAST FORWARD 58 SECONDS AFTER IGNITION





## WHAT HAPPENED?

WHAT WAS THE CAUSE?

COULD IT HAVE BEEN PREVENTED?

### ENGINEERS AT THIOKOL HAD A HUNCH

Two days before launch they presented their concerns

created 13 charts to make their case

SRM – Solid Rocket Motor

## SLIDE #2

#### Teaches about past damages to O-ring

5		HISTORY OF C	O-RING DAMAGE O	N SRM FIELD	JOINTS		
No. APPL	SRM No.	Erosion Depth (in.)	Perimeter Affected (deg)	View Nominal Dia. (in.)	Length Of Max Erosion (in.)	Total Heat Affected Length (in.)	Clocking Location (deg)
61A LH Center Field** 61A LH GRATER FIELD**  651C LH Forward Field** 51C RH Center Field (prim)*** 51C RH Center Field (sec)***	22A 22A 15A 15B 15B	None NONE 0.010 0.038 None	None NONE 154.0 130.0 45.0	0.280 0.280 0.280 0.280 0.280	None NONE 4.25 12.50 None	None NONE 5.25 58.75 29.50	36°66° 338°-18° 163 354 354
41D RH Forward Field 41C LH Aft Field* 418 LH Forward Field	13B 11A 10A	0.028 None 0.040	110.0 None 217.0	0.280 0.280 0.280	3.00 None 3.00	None None 14.50	275  351
المراح STS-2 RH Aft Field	2B	0.053	116.0	0.280			90

<sup>\*</sup>Hot gas path detected in putty. Indication of heat on O-ring, but no damage. \*\*Soot behind primary O-ring.

Clocking location of leak check port - 0 deg.

OTHER SRM-15 FIELD JOINTS HAD NO BLOWHOLES IN PUTTY AND NO SOOT NEAR OR BEYOND THE PRIMARY O-RING.

SRM-22 FORWARD FIELD JOINT HAD PUTTY PATH TO PRIMARY O-RING, BUT NO O-RING EROSION AND NO SOOT BLOWBY. OTHER SRM-22 FIELD JOINTS HAD NO BLOWHOLES IN PUTTY.

<sup>\*\*\*</sup>Soot behind primary O-ring, heat affected secondary O-ring.


## SLIDES #2 AND 3

### Teaches about O-ring damage mechanics and erosion

PRIMARY CONCERNS -

FIELD JOINT - HIGHEST CONCERN

- EROSION PENETRATION OF PRIMARY SEAL REQUIRES RELIABLE SECONDARY SEAL
   FOR PRESSURE INTEGRITY
  - o IGNITION TRANSIENT (0-600 MS)
    - O-170 MS)HIGH PROBABILITY OF RELIABLE SECONDARY SEAL
    - o (170-330 MS) REDUCED PROBABILITY OF RELIABLE SECONDARY SEAL
    - o (330-600 MS) HIGH PROBABILITY OF NO SECONDARY SEAL CAPABILITY
- STEADY STATE (600 MS 2 MINUTES)
  - o IF EROSION PENETRATES PRIMARY O-RING SEAL HIGH PROBABILITY OF NO SECONDARY SEAL CAPABILITY
    - BENCH TESTING SHOWED O-RING NOT CAPABLE OF MAINTAINING CONTACT
       WITH METAL PARTS GAP OPENING RATE TO MEOP
    - BENCH TESTING SHOWED CAPABILITY TO MAINTAIN O-RING CONTACT DURING INITIAL PHASE (0-170 MS) OF TRANSIENT



## SLIDES #4 AND 5

#### Lists temperature and blow-by history for two SRMs

```
BLOW BY HISTORY

SRM-15 WORST BLOW-BY

2 CASE JOINTS (80°), (110°) ARC

MUCH WORSE VISUALLY THAN SRM-22

SRM 22 BLOW-BY

2 CASE JOINTS (30-40°)

SRM-13 A, 15, 16A, 18, 23A 24A

NOZZLE BLOW-BY
```

	HISTORY	OF C	, , , , , , , , , , , , , , , , , , , ,	PERATURES
MOTOR	MBT	AMB	O-RING	WIND
Dm-4	68	36	47	10 MPH
DM-2	76	45	52	10 MPH
Qm - 3	72.5	40	48	10 mPH
Qm-4	76	48	51	10 MPH
SRM-15	52	64	53	10 MPH
5RM-22	77	78	75	10 MPH
5 RM - 25	55	26	29 27	10 MPH 25 MPH

## Assume You're a NASA Manager

#### Given the information provided in the company slides

- would you vote for a launch?
- ignore you know about the consequences



#### Be keenly aware of the immense PR pressures

- President Reagan's upcoming State of the Union speech
- the first civilian in space
- NASA's funding problems

#### Launch:

- No: OK with a PR disaster & possible budget cuts down the road
- Yes: the rocket company is too cautious & concerns are unproven

## WHY THE RECOMMENDATION FAILED


#### Presentation only has exactly two shuttle flights

- one with two blow-by's and high temperature
- one with two blow-by's and low temperature
- ignores all other 22 shuttle flights (SRM)

#### Statistically weak

#### Recommendation


- "O-ring temp must be >53°F at launch"
- is only based on a sample size of 1
- context of other flights is missing
- no statistical leverage



# DEFICIENCIES

Lots of numbers and facts


But no causal evidence that could predict





What is needed?

## WHAT IS NEEDED?




Need a measure for damage

# DAMAGE INDEX

Flight	Date	Temperature °F	Erosion incidents	Blow-by incidents	Damage index	Comments
51-C	01.24.85	53°	3	2	11	Most erosion any flight; blow-by; back-up rings heated.
41-B	02.03.84	57°	1		4	Deep, extensive erosion.
61-C	01.12.86	58°	1		4	O-ring erosion on launch two weeks before Challenger.
41-C	04.06.84	63°	1		2	O-rings showed signs of heating, but no damage.
1	04.12.81	66°			0	Coolest (66°) launch without O-ring problems.
6	04.04.83	67°			0	
51-A	11.08.84	67°			0	
51-D	04.12.85	67°			0	
5	11.11.82	68°			0	
3	03.22.82	69°			0	
2	11.12.81	70°	1		4	Extent of erosion not fully known.
9	11.28.83	70°			0	
41-D	08.30.84	70°	1		4	
51-G	06.17.85	70°			0	
7	06.18.83	72°			0	
8	08.30.83	73°			0	
51-B	04.29.85	75°			0	
61-A	10.30.85	75°		2	4	No erosion. Soot found behind two primary O-rings.
51-I	08.27.85	76°			0	
61 <b>-</b> B	11.26.85	76°			0	
41-G	10.05.84	78°			0	
51-J	10.03.85	79°			0	
	06.27.82	80°			3	O-ring condition unknown; rocket casing lost at sea.
51-F	07.29.85	81°			0	


# VISUALIZE IT – JUST THE FACTS

O-ring damage index, each launch




Temperature (°F) of field joints at time of launch

## VISUALIZE IT - TELL THE STORY



## SHOWN AT CONGRESSIONAL HEARINGS

Used these charts



#### All information is there


- but very hard to identify and assimilate
- why?


# SOURCE: EDWARD TUFTE




#### Four seminal books

- standard literature for every visualization enthusiast
- written 1983, 1990, 1997, 2006









- taught information design at Princeton University
- now a professor at Yale University

# COURSE TOPICS



shock wave

virtual frog

spiral flow


nerve cell

wind flow

transparent MRI head


semi-transparent tomato

MRI head




shock wave






spiral flow



transparent MRI head

wind flow



MRI head



semi-transparent tomato


Example: Datasets obtained by 3D volumetric scans (CT, MRI)

what are some questions you might have?



Example: Datasets obtained by 3D Simulations

what are some questions you might have?



Example: Data obtained by observation-supported simulations

what are some questions you might have?

### NON-SPATIAL DATA

#### The salient features of a car:

- miles per gallon (MPG)
- top speed
- acceleration
- number of cylinders
- horsepower
- weight

- year
- country origin
- brand
- number of seats
- number of doors
- reliability (# of breakdowns)
- and so on...


















### CAN YOU VISUALIZE THEM LIKE THIS?

A	В	С	D	E	F	G	Н	1	J	K	L	M	N	0	Р
Urban population	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974
Afghanistan	769308	811389	855131	900646	948060	997499	1053104	1110728	1170961	1234664	1302370	1391081	1483942	1579748	167665
Albania	494443	511637	529182	547024	565117	583422	601897	620508	639234	658062	676985	698179	719561	741149	76297
Algeria	3293999	3513320	3737362	3969886	4216744	4483048	4644898	4822860	5015071	5218184	5429743	5618190	5813978	6017932	623138
American Samoa -	-									0		-		-	-
Andorra -										-					
Angola	521205	552777	585121	618345	652638	688181	729595	772643	817418	863993	912486	982944	1056617	1133936	121543
Antigua and Barbuda	21699	21737	21878	22086	22309	22513	22717	22893	23053	23218	23394	24046	24718	25342	2582
Argentina	15224096	15588864	15957125	16328045	16700303	17073371	17432905	17793789	18160868	18540720	18938137	19335571	19750609	20180707	2062167
Armenia	957974	1008899	1061551	1115546	1170414	1225785	1281346	1337060	1393199	1450241	1508526	1565054	1622558	1680709	173901
Aruba	24996	25514	26019	26498	26941	27337	27683	27984	28247	28491	28726	28959	29188	29409	2961
Australia	8375329	8585577	8840666	9055650	9279777	9508980	9770529	9937118	10157212	10416192	10668471	11050785	11271606	11461308	1177158
3 Austria	4560057	4589541	4621666	4653194	4685421	4715750	4754585	4778506	4798552	4817322	4849178	4871380	4904030	4932109	493929
Azerbaijan	1857673	1929429	2004258	2080816	2157307	2232355	2306310	2378380	2448728	2517815	2586000	2660687	2734631	2807879	288049
Bahamas	65457	69655	74179	78961	83902	88918	93931	98974	103944	108721	113219	117339	121142	124761	12839
Bahrain	128480	133815	139791	146052	152097	157596	162844	167630	172373	177677	183997	191379	199768	209201	21967
Bangladesh	2761049	2947191	3141372	3344120	3556037	3777716	4047121	4329144	4624445	4933701	5257558	5710277	6184871	6682073	720250
Barbados	84884	85284	85761	86285	86797	87259	87707	88117	88526	88986	89532	90518	91596	92713	9379
Belarus	2656152	2774166	2896449	3022217	3150553	3280410	3415984	3554673	3695363	3836802	3977600	4131179	4285735	4439788	459170
Belgium	8435075	8489549	8548773	8620194	8709437	8796088	8865259	8924327	8968568	9003536	9040444	9086816	9134227	9175144	921708
Belize	49165	50608	52156	53734	55226	56561	57756	58820	59746	60532	61186	61883	62445	62984	6366
2 Benin	211033	229172	248065	267765	288321	309788	337282	366019	396065	427482	460341	500355	542251	586179	63232
Bermuda	44400	45500	46600	47700	48900	50100	51000	52000	53000	54000	55000	54600	54200	53800	5340
Bhutan	8064	8778	9526	10311	11137	12010	13089	14230	15445	16750	18158	19926	21827	23858	2600
Bolivia	1233398	1271250	1310294	1350615	1392328	1435536	1480255	1526529	1574517	1624419	1676370	1730434	1786553	1844596	190435
Bosnia and Herzegovi	604204	637337	671124	705395	739884	774380	812856	851325	890011	929301	969514	1008688	1048890	1089898	113131
Botswana	16240	17379	18583	19855	21203	22631	28191	34090	40352	46995	54038	61638	69689	78254	8742
Brazil Brazil	32662018	34463344	36353068	38320171	40346703	42418482	44548227	46722996	48945984	51223962	53563179	56042505	58587770	61207586	6391338
Brunei	35501	38753	42173	45802	49699	53916	58461	63355	68595	74157	80024	83802	87671	91616	9562
Bulgaria	2918659	3085061	3251675	3418610	3588246	3756058	3889518	4022040	4159890	4301340	4440270	4554810	4667059	4782931	490710
Burkina Faso	221872	230199	238713	247472	256558	266039	275958	286311	297074	308196	319642	332556	345877	359655	37396
Burundi	58810	61055	63344	65696	68137	70683	73370	76186	79034	81779	84324	90879	97308	103757	11049
Cambodia	559631	578678	598248	618631	640243	663272	747219	835638	927177	1019449	1110079	962037	806676	645287	47963
Cameroon	751711	801009	852578	906523	962928	1021891	1088521	1158289	1231375	1307967	1388275	1522958	1664410	1813278	197038
Canada	12375125	12764121	13145207	13536503	13941055	14345262	14727261	15108962	15470875	15800439	16142268	16381341	16640381	16920220	1722176
Cape Verde	32791	34353	35972	37672	39487	41435	43592	45884	48200	50383	52314	54103	55620	56940	5818
Cayman Islands -	-	0													-
Central African Rep.	302157	317715	333986	351001	368787	387357	408129	429825	452326	475441	499036	526414	554452	583376	61353
Chad	198777	213406	228652	244499	260903	277834	305390	333898	363523	394530	427153	467662	510348	554973	60104
Channel Islands	42565	42665	42792	42941	43102	43269	43437	43604	43765	43916	44051	44028	43987	43907	4376

How are MPG, weight, HP, and reliability related? Are there tradeoffs? Which car is best for me?

# HIGH-DIMENSIONAL DATA VISUALIZATION



# BIG DATA

12+ TBs of tweet data every day











### THE SCIENTIFIC METHOD

IN THE AGE OF DATA SCIENCE

**Publish Results** 

Test Prediction (visualize)

Analyze Data

Formulate Question



Generate Hypothesis

Form Experiment (find data sources)

Collect Data (scrape, mine)

Form Testable Prediction

# MODERN DATA SCIENTIST

# MATH & STATISTICS

- ☆ Machine learning
- ☆ Statistical modeling
- ☆ Experiment design
- ☆ Bayesian inference
- ☆ Supervised learning: decision trees, random forests, logistic regression

#### 쇼

#### DOMAIN KNOWLEDGE & SOFT SKILLS

- ☆ Passionate about the business
- ☆ Curious about data
- ☆ Influence without authority
- ☆ Hacker mindset
- ☆ Problem solver
- ☆ Strategic, proactive, creative, innovative and collaborative

21th century, requires a mixture of " , computer science, communication who a data scientist is, is equally ha the modern data scientist really is



### PROGRAMMING & DATABASE

- ☆ Computer science fundamentals
- ☆ Scripting language e.g. Python
- ☆ Statistical computing packages, e.g., R
- ☆ Databases: SOL and NoSOL
- ☆ Relational algebra
  - Darallal databases and navallal ave


# COMMUNICATION & VISUALIZATION

- ☆ Able to engage with senior management
- ☆ Story telling skills
- ☆ Translate data-driven insights into decisions and actions
- ☆ Visual art design
- ☆ R packages like ggplot or lattice
- ☆ Knowledge of any of visualization tools e.g. Flare, D3.js, Tableau




# VISUALIZATION CAN BE BEAUTIFUL

# VISUALIZATION CAN BE BEAUTIFUL




### VISUALIZATION IS FAST




< 200 ms to recognize the red dot

# VISUALIZATION IS FAST




# VISION IS MASSIVELY PARALLEL




more than 50% of the brain

# VISUALIZATION CAN BE INTERACTIVE


#### <u>youtube</u>




# VISUALIZATION HAS A LONG HISTORY





### VISUALIZATION CAN BE INSPIRED BY ART




.









Count the number of black dots






Are the horizontal lines parallel or do they slope?



How many legs does this elephant have?







Which circle in the middle is bigger?

#### **Gun deaths in Florida**

Number of murders committed using firearms




Source: Florida Department of Law Enforcement




# Visualization Can Be BS\*

From Michael Correll's alt.vis 2021 talk (link)

- Don't relate to the real world
- Don't really help people understand their data
- Don't even have the decency to lie to you




"Stock footage chart"




"Novocaine chart"

This stuff is way too complex for you to understand. Aren't you glad there's somebody smart like me taking care of it?



Hwang's @DefenseCharts Twitter account, "dedicated to the presentational aesthetics of the defense-industrial complex"



"Texas sharpshooter chart"



Example: Sharpiegate










🚯 Ann Coulter 🤣 @AnnCoulter


For people under 60, coronavirus is LESS dangerous than the seasonal flu:





To show: "Countries with more economic freedom have less racist attitudes"





To show: "States where physicians are highly paid have lower COVID-19 mortality per capita"

Artificial noise added to make the chart look like there is a complex metric being measured precisely over time (when it is really not)

### THE POWER OF THE VISUAL SYSTEM

The human visual system is not perfect, but it's extremely powerful

Vision is an integral part of life


Vision is the gateway to higher-level regions of the brain


Exploit this fast and powerful processor for

complex data analyses, creative tasks, communicating ideas


→ The science of visualization and visual analytics


# TEXT BOOKS







Required









**Optional** 

# TENTATIVE SCHEDULE

Lecture	Topic	Projects
1	Intro, schedule, and logistics	
2	Applications of visual analytics, data, and basic tasks	
3	Basic vis techniques for non-spatial data	Project 1 out
4	Data preparation and reduction	
5	Perception and cognition, visual design and aesthetics	
6	Foundations of statistics	
7	Introduction to D3 and Vega-Lite	Project 2 out
8	Data types, notion of similarity and distance	
9	Data mining techniques: clusters, text, patterns, classifiers	
10	Data mining techniques: clusters, text, patterns, classifiers	
11	High-dimensional data, dimensionality reduction	
12	Computer graphics and volume rendering	Project 3 out
13	Techniques to visualize spatial (3D) data	
14	Scientific and medical visualization	
15	Scientific and medical visualization	
16	Non-photorealistic rendering	
17	Midterm	
18	Principles of interaction	Project 4 out
19	Visual analytics and the visual sense making process	
20	Correlation and causal modeling	
21	Big data: data reduction, summarization	
22	Visualization of graphs and hierarchies	
23	Visualization of text data	Project 5 out
24	Visualization of time-varying and time-series data	
25	Memorable visualizations, visual embellishments	
26	Evaluation and user studies	
27	Narrative visualization and storytelling	
28	Data journalism	

# GRADING

Midterm (1st part of the course): 30%

Final (2<sup>nd</sup> part of the course): 40%

Projects (5): 30%

choose wisely

- propose a dataset DS and argue why you think it's interesting (5%)
- code up a set of basic interactive visualizations for DS (5%)
- implement a set of suitable data analytics (python) for DS (5%)
- interlude: create some spatial visualizations using ImageVis3D (5%)
- create an interactive visual analytics dashboard for DS (10%)

#### Participation:

expected to attend each lecture (attendance is not taken)

For late submission policy see course website


course website will publish all course materials

# WHAT'S A VA DASHBOARD?

See a really good example on <u>youtube</u>

#### Programmed with:

- python
- html
- JavaScript
- D3 API




#### Your path to this:

- a dashboard is a collection of data visualizations linked together
- you will program all the individual dashboard components in lab
   2 and lab
- then, in lab 5 you will put (some of) them all on one page and connect them in a meaningful way so they together can support users in interactive data analysis explorations

# CAPABILITIES OF CSE/ISE 332 FALL 21

#### HTML programming


40 responses



# CAPABILITIES OF CSE/ISE 332 FALL 21

JavaScript programming (note, JavaScript is not Java)

40 responses



### READING ASSIGNMENT

You have 3 weeks to get up to speed with html and js

9/13 is the first programming assignment requiring it (3 weeks from now)

#### Fortunately there is a great and easy resource

- W3schools html
- W3schools JavaScript


#### HTML part, focus on:

- HTML Tutorial (specifically the sections Home to Layout)
- HTML Graphics
- will take you 2 days max

#### JavaScript part, focus on:

- JS Tutorial
- JS Objects, JS Functions, JS Async
- JS HTML DOM (Document Object Model)
- JS JSON (JavaScript Object Notation)
- will take you 2 weeks (one hour each day, ~15-20 hours total)

from here



### PROGRAMMING ASSIGNMENT

#### This will check your newly gained html and js capabilities

- successful completion will be evidence that you're ready for the lab assignments
- please do this yourself, copying it from somewhere will defeat the purpose of the exercise
- submit to Brightspace and gain 1% of extra credit (due 9/14)

#### Create a html page which supports the following

- allow a user to enter some text into a webpage text widget
- write a simple js program that will
  - count the number of non-white space characters
  - produce a list that shows many instances of each character are in the text (called a histogram, say a: 5, b: 4, c: 3,....)
  - calculate and show the total number of empty spaces and words
  - do some simple spellchecking, like too many instances of the same character in sequence (more than 2 is generally impossible in the English language) and either highlight them in the text or write our an error message

# CODE EDITOR

#### Several free code development environments are available

- <u>Visual Studio Code</u> (recommended)
- Atom
- Sublime Text

#### Browsers to run and develop your code

- Chrome
- Firefox
- IE and Edge are not overly suitable
- Chrome and Firefox also have panels where you can see and edit your code
- comes in handy when you want to change values of variables