

## CSE547 ORDER RELATIONS, LATTICES, BOOLEAN ALGEBRAS

### DEFINITIONS

**Order Relation**  $R \subset A \times A$  is an order on  $A$  iff  $R$  is 1. Reflexive, 2. Antisymmetric, 3. Transitive, i.e.

1.  $\forall a \in A (a, a) \in R$
2.  $\forall a, b \in A ((a, b) \in R \cap (b, a) \in R \Rightarrow a = b)$
3.  $\forall a, b, c \in A ((a, b) \in R \cap (b, c) \in R \Rightarrow (a, c) \in R)$

**Total Order**  $R \subset (A \times A)$  is a total order on  $A$  iff  $R$  is an order and any two elements of  $A$  are comparable, i.e.

$$\forall a, b \in A ((a, b) \in R \cup (b, a) \in R).$$

**Historical names** Order is also called **partial order** and total order is also called a **linear order**.

**Notations** Order relations are usually denoted by  $\leq$ . We use, in our lecture notes the notation  $\boxed{\leq}$ .  $\preceq$  as a symbol for order relation.

Remember, that even if we use  $\leq$  as the order relation symbol, it is a SYMBOL for ANY order relation and not only a symbol for a natural order  $\leq$  in number sets.

**Poset** A set  $A \neq \emptyset$  ordered by a relation  $R$  is called a poset. We write it as a tuple:  $(A, R)$ ,  $(A, \leq)$ ,  $(A, \preceq)$  or  $(A, \boxed{\leq})$ . Name poset stands for "partially ordered set".

**Diagram** Diagram or Hasse Diagram of order relation is a graphical representation of a poset. It is a simplified graph constructed as follows.

1. As the relation is REFLEXIVE, i.e.  $(a, a) \in R$  for all  $a \in A$ , we draw a point  $a$  instead of a point  $a$  with the loop.
2. As the relation is antisymmetric we draw a point  $b$  **above** point  $a$  (connected, but without the arrow) to indicate that  $(a, b) \in R$ .
3. As the relation is transitive, we connect points  $a, b, c$  without arrows.

**Special elements** in a poset  $(A, \preceq)$  are: maximal, minimal, greatest (largest) and smallest (least) and are defined below.

**Smallest (least)**  $a_0 \in A$  is a smallest (least) element in the poset  $(A, \preceq)$  iff  $\forall a \in A (a_0 \preceq a)$ .

**Greatest (largest)**  $a_0 \in A$  is a greatest (largest) element in the poset  $(A, \preceq)$  iff  $\forall a \in A (a \preceq a_0)$ .

**Maximal (formal)**  $a_0 \in A$  is a maximal element in the poset  $(A, \preceq)$  iff  $\neg \exists a \in A (a_0 \preceq a \cap a_0 \neq a)$ .

**Maximal (informal)**  $a_0 \in A$  is a maximal element in the poset  $(A, \preceq)$  iff on the diagram of  $(A, \preceq)$  there is no element placed above  $a_0$ .

**Minimal**  $a_0 \in A$  is a minimal element in the poset  $(A, \preceq)$  iff  $\neg \exists a \in A (a \preceq a_0 \cap a_0 \neq a)$ .

**Minimal (informal)**  $a_0 \in A$  is a minimal element in the poset  $(A, \preceq)$  iff on the diagram of  $(A, \preceq)$  there is no element placed below  $a_0$ .

**Lower Bound** Let  $B \subseteq A$  and  $(A, \preceq)$  is a poset.  $a_0 \in A$  is a lower bound of a set  $B$  iff  $\forall b \in B (a_0 \preceq b)$ .

**Upper Bound** Let  $B \subseteq A$  and  $(A, \preceq)$  is a poset.  $a_0 \in A$  is an upper bound of a set  $B$  iff  $\forall b \in B (b \preceq a_0)$ .

**Least upper bound of B (lub B)** Given: a set  $B \subseteq A$  and  $(A, \preceq)$  a poset.  $x_0 = \text{lub}B$  iff  $x_0$  is (if exists) the least (smallest) element in the set of all upper bounds of  $B$ , ordered by the poset order  $\preceq$ .

**Greatest lower bound of B (glb B)** Given: a set  $B \subseteq A$  and  $(A, \preceq)$  a poset.  $x_0 = \text{glb}B$  iff  $x_0$  is (if exists) the greatest element in the set of all lower bounds of  $B$ , ordered by the poset order  $\preceq$ .

**Lattice** A poset  $(A, \preceq)$  is a lattice iff For all  $a, b \in A$  both  $\text{lub}\{a, b\}$  and  $\text{glb}\{a, b\}$  exist.

**Lattice notation** Observe that by definition elements  $\text{lub}B$  and  $\text{glb}B$  are always unique (if they exist). For  $B = \{a, b\}$  we denote:  
 $\text{lub}\{a, b\} = a \cup b$  and  $\text{glb}\{a, b\} = a \cap b$ .

**Lattice union (meet)** The element  $\text{lub}\{a, b\} = a \cup b$  is called a lattice union (meet) of  $a$  and  $b$ . By lattice definition for any  $a, b \in A$   $a \cup b$  always exists.

**Lattice intersection (joint)** The element  $\text{glb}\{a, b\} = a \cap b$  is called a lattice intersection (joint) of  $a$  and  $b$ . By lattice definition for any  $a, b \in A$   $a \cap b$  always exists.

**Lattice as an Algebra** An algebra  $(A, \cup, \cap)$ , where  $\cup, \cap$  are two argument operations on  $A$  is called a lattice iff the following conditions hold for any  $a, b, c \in A$  (they are called lattice AXIOMS):

- 11  $a \cup b = b \cup a$  and  $a \cap b = b \cap a$
- 12  $(a \cup b) \cup c = a \cup (b \cup c)$  and  $(a \cap b) \cap c = a \cap (b \cap c)$
- 13  $a \cap (a \cup b) = a$  and  $a \cup (a \cap b) = a$ .

**Lattice axioms** The conditions 11- 13 from above definition are called lattice axioms.

**Lattice orderings** Let the  $(A, \cup, \cap)$  be a lattice. The relations:

$a \preceq b$  iff  $a \cup b = b$ ,  $a \succeq b$  iff  $a \cap b = a$   
are order relations in  $A$  and are called a lattice orderings.

**Distributive lattice** A lattice  $(A, \cup, \cap)$  is called a distributive lattice iff for all  $a, b, c \in A$  the following conditions hold

- 14  $a \cup (b \cap c) = (a \cup b) \cap (a \cup c)$
- 15  $a \cap (b \cup c) = (a \cap b) \cup (a \cap c)$ .

**Distributive lattice axioms** Conditions 14- 15 from above are called a distributive lattice axioms.

**Lattice special elements** The greatest element in a lattice (if exists) is denoted by 1 and is called a lattice UNIT. The least (smallest) element in  $A$  (if exists) is denoted by 0 and called a lattice zero.

**Lattice with unit and zero** If 0 (lattice zero) and 1 (lattice unit) exist in a lattice, we will write the lattice as:  $(A, \cup, \cap, 0, 1)$  and call it a lattice with zero and unit.

**Lattice Unit Axioms** Let  $(A, \cup, \cap)$  be a lattice. An element  $x \in A$  is called a lattice unit iff for any  $a \in A$   $x \cap a = a$  and  $x \cup a = x$ .

If such element  $x$  exists we denote it by 1 and we write the unit axioms as follows.

- 16  $1 \cap a = a$

$$\mathbf{17} \quad 1 \cup a = 1.$$

**Lattice Zero Axioms** Let  $(A, \cup, \cap)$  be a lattice. An element  $x \in A$  is called a lattice zero iff for any  $a \in A$   $x \cap a = x$  and  $x \cup a = a$ .

We denote the lattice zero by 0 and write the zero axioms as follows.

$$\mathbf{18} \quad 0 \cap a = 0$$

$$\mathbf{19} \quad 0 \cup a = a.$$

**Complement** Let  $(A, \cup, \cap, 1, 0)$  be a lattice with unit and zero. An element  $x \in A$  is called a complement of an element  $a \in A$  iff  $a \cup x = 1$  and  $a \cap x = 0$ .

**Complement axioms** Let  $(A, \cup, \cap, 1, 0)$  be a lattice with unit and zero. The complement of  $a \in A$  is usually denoted by  $-a$  and the above conditions that define the complement above are called complement axioms. The complement axioms are usually written as follows.

$$\mathbf{c1} \quad a \cup -a = 1$$

$$\mathbf{c2} \quad a \cap -a = 0.$$

**Boolean Algebra** A distributive lattice with zero and unit such that each element has a complement is called a Boolean Algebra.

**Boolean Algebra Axioms** A lattice  $(A, \cup, \cap, 1, 0)$  is called a Boolean Algebra iff the operations  $\cap, \cup$  satisfy axioms **11 -15**,  $0 \in A$  and  $1 \in A$  satisfy axioms **16 - 19** and each element  $a \in A$  has a complement  $-a \in A$ , i.e.

$$\mathbf{11o} \quad \forall a \in A \exists -a \in A ((a \cup -a = 1) \cap (a \cap -a = 0)).$$

## SOME BASIC FACTS

**Uniqueness** In any poset  $(A, \preceq)$ , if a greatest and a least elements exist, then they are unique.

**Finite Posets** If  $(A, \preceq)$  is a finite poset (i.e.  $A$  is a finite set), then a unique maximal (if exists) is the largest element and a unique minimal (if exists) is the least element.

**Infinite Posets** It is possible to order an infinite set  $A$  in such a way that the poset  $(A, \preceq)$  has a unique maximal element (minimal element) and no largest element (least element).

**Any poset** In any poset, the largest element is a unique maximal element and the least element is the unique minimal element.

**Lower, upper bounds** A set  $B \subseteq A$  of a poset  $(A, \preceq)$  can have none, finite or infinite number of lower or upper bounds, depending of ordering.

**Finite lattice** If  $(A, \cup, \cap)$  is a finite lattice (i.e.  $A$  is a finite set), then 1 and 0 always exist.

**Infinite lattice** If  $(A, \cup, \cap)$  is an infinite lattice (i.e. the set  $A$  is infinite), then 1 or 0 might or might not exist.

For example:

$(\mathbb{N} \preceq)$  is a lattice with 0 (the number 0) and no 1.

$(\mathbb{Z} \preceq)$  is a lattice without 0 and without 1.

**Finite Boolean Algebra** Non- generate Finite Boolean Algebras always have  $2^n$  elements ( $n \geq 1$ ).