

CSE 613: Parallel Programming

Lecture 4

(Greedy Scheduling)

(inspiration for some slides comes from lectures given
by Charles Leiserson)

Rezaul A. Chowdhury


Department of Computer Science

SUNY Stony Brook

Spring 2017


Scheduler

A *runtime/online scheduler* maps tasks to processing elements dynamically at runtime.



The map is called a *schedule*.


An *offline scheduler* prepares the schedule prior to the actual execution of the program.



Greedy Scheduling

A strand / task is called *ready* provided all its parents (if any) have already been executed.

- executed task
- ready to be executed
- not yet ready



A *greedy scheduler* tries to perform as much work as possible at every step.


A Centralized Greedy Scheduler

$p = 3$

Let p = number of cores

At every step:

- if $\geq p$ tasks are ready:
execute any p of them
(complete step)
- if $< p$ tasks are ready:
execute all of them
(incomplete step)




A Centralized Greedy Scheduler

$p = 3$

Let $p =$ number of cores

At every step:

- if $\geq p$ tasks are ready:
execute any p of them
(complete step)
- if $< p$ tasks are ready:
execute all of them
(incomplete step)




A Centralized Greedy Scheduler

$p = 3$

Let $p =$ number of cores

At every step:

- if $\geq p$ tasks are ready:
execute any p of them
(complete step)
- if $< p$ tasks are ready:
execute all of them
(incomplete step)




A Centralized Greedy Scheduler

$p = 3$

Let $p =$ number of cores

At every step:

- if $\geq p$ tasks are ready:
execute any p of them
(complete step)
- if $< p$ tasks are ready:
execute all of them
(incomplete step)




A Centralized Greedy Scheduler

$p = 3$

Let $p =$ number of cores

At every step:

- if $\geq p$ tasks are ready:
execute any p of them
(complete step)
- if $< p$ tasks are ready:
execute all of them
(incomplete step)




A Centralized Greedy Scheduler

$p = 3$

Let $p =$ number of cores

At every step:

- if $\geq p$ tasks are ready:
execute any p of them
(complete step)
- if $< p$ tasks are ready:
execute all of them
(incomplete step)




A Centralized Greedy Scheduler

$p = 3$

Let $p =$ number of cores

At every step:

- if $\geq p$ tasks are ready:
execute any p of them
(complete step)
- if $< p$ tasks are ready:
execute all of them
(incomplete step)




A Centralized Greedy Scheduler

$p = 3$

Let $p =$ number of cores

At every step:

- if $\geq p$ tasks are ready:
execute any p of them
(complete step)
- if $< p$ tasks are ready:
execute all of them
(incomplete step)




A Centralized Greedy Scheduler

$p = 3$

Let $p =$ number of cores

At every step:

- if $\geq p$ tasks are ready:
execute any p of them
(complete step)
- if $< p$ tasks are ready:
execute all of them
(incomplete step)




A Centralized Greedy Scheduler

$p = 3$

Let $p =$ number of cores

At every step:

- if $\geq p$ tasks are ready:
execute any p of them
(complete step)
- if $< p$ tasks are ready:
execute all of them
(incomplete step)




A Centralized Greedy Scheduler

$p = 3$

Let $p =$ number of cores

At every step:

- if $\geq p$ tasks are ready:
execute any p of them
(complete step)
- if $< p$ tasks are ready:
execute all of them
(incomplete step)




A Centralized Greedy Scheduler

$p = 3$

Let $p =$ number of cores

At every step:

- if $\geq p$ tasks are ready:
execute any p of them
(complete step)
- if $< p$ tasks are ready:
execute all of them
(incomplete step)




A Centralized Greedy Scheduler

$p = 3$

Let $p =$ number of cores

At every step:

- if $\geq p$ tasks are ready:
execute any p of them
(complete step)
- if $< p$ tasks are ready:
execute all of them
(incomplete step)



Greedy Scheduling Theorem

Theorem [Graham'68, Brent'74]:

For any greedy scheduler,

$$T_p \leq \frac{T_1}{p} + T_\infty$$

Proof:


$$T_p = \text{\#complete steps} + \text{\#incomplete steps}$$

- Each complete step performs p work:

$$\text{\#complete steps} \leq \frac{T_1}{p}$$

- Each incomplete step reduces the span by 1:

$$\text{\#incomplete steps} \leq T_\infty$$



Optimality of the Greedy Scheduler

Corollary 1: For any greedy scheduler $T_p \leq 2T_p^*$, where T_p^* is the running time due to optimal scheduling on p processing elements.

Proof:

$$\text{Work law: } T_p^* \geq \frac{T_1}{p}$$

$$\text{Span law: } T_p^* \geq T_\infty$$

\therefore From Graham-Brent Theorem:

$$T_p \leq \frac{T_1}{p} + T_\infty \leq T_p^* + T_p^* = 2T_p^*$$

Optimality of the Greedy Scheduler

Corollary 2: Any greedy scheduler achieves $S_p \approx p$ (i.e., nearly linear speedup) provided $\frac{T_1}{T_\infty} \gg p$.

Proof:

$$\text{Given, } \frac{T_1}{T_\infty} \gg p \Rightarrow \frac{T_1}{p} \gg T_\infty$$

∴ From Graham-Brent Theorem:

$$T_p \leq \frac{T_1}{p} + T_\infty \approx \frac{T_1}{p}$$
$$\Rightarrow \frac{T_1}{T_p} \approx p \Rightarrow S_p \approx p$$