

Assignment Four: Spherical Harmonic Map

David Gu

Yau Mathematics Science Center
Tsinghua University
Computer Science Department
Stony Brook University

gu@cs.stonybrook.edu

August 4, 2020

Harmonic Maps

Harmonic Map




Figure: Harmonic map between topological disks.

Harmonic Map




Figure: Harmonic map between topological spheres.

Surface Double Covering Algorithm




Figure: Spherical harmonic map.

Surface Double Covering Algorithm



Figure: Spherical harmonic map.

Computational Algorithm for Disk Harmonic Maps

Input: A topological disk M ;

Output: A harmonic map $\varphi : M \rightarrow \mathbb{D}^2$

- 1 Construct boundary map to the unit circle, $g : \partial M \rightarrow \mathbb{S}^1$, g should be a homeomorphism;
- 2 Compute the cotangent edge weight;
- 3 for each interior vertex $v_i \in M$, compute Laplacian

$$\Delta\varphi(v_i) = \sum_{v_j \sim v_i} w_{ij}(\varphi(v_i) - \varphi(v_j)) = 0;$$

- 4 Solve the linear system, to obtain φ .

Computational Algorithm for Spherical Harmonic Map

Input: A genus zero closed mesh M ;

Output: A spherical harmonic map $\varphi : M \rightarrow \mathbb{S}^2$;

- 1 Compute Gauss map $\varphi : M \rightarrow \mathbb{S}^2$, $\varphi(v) \leftarrow \mathbf{n}(v)$;
- 2 Compute the cotangent edge weight, compute Laplacian

$$\Delta\varphi(v_i) = \sum_{v_i \sim v_j} w_{ij}(\varphi(v_j) - \varphi(v_i)),$$

- 3 project the Laplacian to the tangent plane,

$$D\varphi(v_i) = \Delta\varphi(v_i) - \langle \Delta\varphi(v_i), \varphi(v_i) \rangle \varphi(v_i)$$

- 4 for each vertex, $\varphi(v_i) \leftarrow \varphi(v_i) - \lambda D\varphi(v_i)$;
- 5 compute the mass center $c = \sum A_i \varphi(v_i) / \sum_j A_j$; normalize $\varphi(v_i) \leftarrow (\varphi(v_i) - c) / |\varphi(v_i) - c|$;
- 6 Repeat step 2 through 5, until the Laplacian norm is less than ε .

Instruction

Dependencies

- 1 'MeshLib', a mesh library based on halfedge data structure.
- 2 'freeglut', a free-software/open-source alternative to the OpenGL Utility Toolkit (GLUT) library.

Directory Structure

- `spherical_harmonic_map/include`, the header files for Hodge decomposition;
- `spherical_harmonic_map/src`, the source files for Hodge decomposition algorithm.
- `data`, Some models.
- `CMakeLists.txt`, CMake configuration file.
- `resources`, Some resources needed.
- `3rdparty`, MeshLib and freeglut libraries.

Configuration

Before you start, read README.md carefully, then go through the following procedures, step by step.

- 1 Install [CMake](<https://cmake.org/download/>).
- 2 Download the source code of the C++ framework.
- 3 Configure and generate the project for Visual Studio.
- 4 Open the .sln using Visual Studio, and compile the solution.
- 5 Finish your code in your IDE.
- 6 Run the executable program.

3. Configure and generate the project

- 1 open a command window
- 2 `cd ccg_homework_skeleton`
- 3 `mkdir build`
- 4 `cd build`
- 5 `cmake ..`
- 6 open CCGHomework.sln inside the build directory.

5. Finish your code in your IDE

- Modify

```
double CSphericalHarmonicMap::step_one(int steps, double step_length)
```

- 1 compute vertex laplacian
- 2 get the normal component
- 3 get the tangent component
- 4 update u
- 5 normalize the vertex $u()$ to the unit sphere
- 6 normalize the mapping, such that mass center is at the origin
- 7 compute the harmonic energy

5. Finish your code in your IDE

- Modify

```
double CSphericalHarmonicMap::_normalize()
```

- 1 compute the mass center of the image, using the vertex $u()$ and vertex $area()$;
- 2 move the mass center to the origin;
- 3 normalize vertex $u()$ to be on the unit sphere.

Run the executable program

Command line:

```
spherical_harmonic_map.exe mesh.m
```

All the data files are in the data folder.