

Lecture 1: Introduction to Algorithms

Steven Skiena

Department of Computer Science
State University of New York
Stony Brook, NY 11794-4400

<http://www.cs.stonybrook.edu/~skiena>

Topic: Course Mechanics

Syllabus / Course Mechanics

- Prerequisites (Data structures and linear algebra)
- Textbook (ADM third edition)
- Grading
- Homeworks
- Daily problems
- Exams
- Rules of the Game

1	Introduction to algorithms	1-27	HW1 out
2	Asymptotic notation	31-40	
3	Logarithms and more	41-58	
4	Elementary data structures	65-75	
5	Dictionary data structures	76-92	
6	Hashing	93-102	
7	Applications of Sorting	109-114	HW1 in / HW2out
8	Heapsort/Priority Queues	115-126	
9	Mergesort/Quicksort/Binsort	127-151	
	Midterm 1		
10	Data structures for graphs	197-211	HW2 in / HW3 out
11	Breadth-first search	212-220	
12	Topological sort/connectivity	221-234	
13	Minimum spanning trees	243-256	
14	Shortest paths	257-266	
15	Exploiting graph algorithms	267-275	
16	Combinatorial search	281-288	HW3 in / HW4 out
17	Program optimization	289-302	
18	Elements of dynamic programming	307-325	HW4 in / HW5 out
19	Examples of dynamic programming	326-336	
20	Limitations of dynamic programming	337-344	
21	Dynamic programming review		
	Midterm 2		
22	Reductions	355-360	HW 5 in
23	Easy reductions	361-368	
24	Harder reductions	369-372	
25	The NP-completeness challenge	373-382	
	Final Exam		

Instructor Style Disclaimer

I try to make lectures fun through jokes and analogies, but always fear saying something that may offend someone in the class.

I am particularly fearful of teaching online, as I will miss feedback mechanisms I am used to in the classroom.

I want everyone to feel comfortable in my classroom.

If anything I say bothers you, please come by and tell me so. I will apologize, and then do my best to understand the issue to avoid doing so again.

Questions?

Topic: What is an Algorithm?

What Is An Algorithm?

Algorithms are the ideas behind computer programs.

An algorithm is the thing which stays the same whether the program is in assembly language running on a supercomputer in New York or running on a cell phone in Kathmandu in Python!

To be interesting, an algorithm has to solve a general, specified problem.

An algorithmic problem is specified by describing the set of instances it must work on, and what desired properties the output must have.

Example Problem: Sorting

Input: A sequence of N numbers $a_1 \dots a_n$

Output: the permutation (reordering) of the input sequence such as $a_1 \leq a_2 \dots \leq a_n$.

We seek algorithms which are *correct* and *efficient*.

A faster algorithm running on a slower computer will *always* win for sufficiently large instances, as we shall see.

Usually, problems don't have to get that large before the faster algorithm wins.

Correctness

For any algorithm, we must prove that it *always* returns the desired output for all legal instances of the problem.

For sorting, this means even if (1) the input is already sorted, or (2) it contains repeated elements.

Algorithm correctness is not obvious in many optimization problems!

Algorithms *problems* must be carefully specified to allow a provably correct algorithm to exist. We can find the “shortest tour” but not the “best tour”.

Expressing Algorithms

We need some way to express the sequence of steps comprising an algorithm.

In order of increasing precision, we have English, pseudocode, and real programming languages. Unfortunately, ease of expression moves in the reverse order.

I prefer to describe the *ideas* of an algorithm in English, moving to pseudocode to clarify sufficiently tricky details of the algorithm.

Questions?


Topic: Robot Tour Optimization

Robot Tour Optimization

Suppose you have a robot arm equipped with a tool, say a soldering iron. To enable the robot arm to do a soldering job, we must construct an ordering of the contact points, so the robot visits (and solders) the points in order.

We seek the order which minimizes the testing time (i.e. travel distance) it takes to assemble the circuit board.

Find the Shortest Robot Tour



You are given the job to program the robot arm. Give me an algorithm to find the most efficient tour!

Nearest Neighbor Tour

A popular solution starts at some point p_0 and then walks to its nearest neighbor p_1 first, then repeats from p_1 , etc. until done.

Pick and visit an initial point p_0

$$p = p_0$$

$$i = 0$$

While there are still unvisited points


$$i = i + 1$$

Let p_i be the closest unvisited point to p_{i-1}

Visit p_i

Return to p_0 from p_i

Nearest Neighbor Tour is Wrong!



Starting from the leftmost point will not fix the problem.

Closest Pair Tour

Another idea is to repeatedly connect the closest pair of points whose connection will not cause a cycle or a three-way branch, until all points are in one tour.

Let n be the number of points in the set

For $i = 1$ to $n - 1$ do

$$d = \infty$$

For each pair of endpoints (x, y) of partial paths

If $dist(x, y) \leq d$ then



$$x_m = x, y_m = y, d = dist(x, y)$$

Connect (x_m, y_m) by an edge

Connect the two endpoints by an edge.

Closest Pair Tour is Wrong!

Although it works correctly on the previous example, other data causes trouble:



A Correct Algorithm: Exhaustive Search

We could try all possible orderings of the points, then select the one which minimizes the total length:

$$d = \infty$$

For each of the $n!$ permutations Π_i of the n points

 If ($cost(\Pi_i) \leq d$) then

$$d = cost(\Pi_i) \text{ and } P_{min} = \Pi_i$$

Return P_{min}

Since all possible orderings are considered, we are guaranteed to end up with the shortest possible tour.

Exhaustive Search is Slow!

Because it tries all $n!$ permutations, it is much too slow to use when there are more than 10-20 points.

No efficient, correct algorithm exists for the *traveling salesman problem*, as we will see later.

Questions?

Topic: Movie Star Scheduling

Selecting the Right Jobs

A movie star wants to select the maximum number of starring roles such that no two jobs require his presence at the same time.

Tarjan of the Jungle

The Four Volume Problem

The President's Algorist

Steiner's Tree

Process Terminated

"Discrete" Mathematics

Halting State

Programming Challenges

Calculated Bets

The Movie Star Scheduling Problem

Input: A set I of n intervals on the line.

Output: What is the largest subset of mutually non-overlapping intervals which can be selected from I ?

Give an algorithm to solve the problem!

Earliest Job First

Start working as soon as there is work available:

EarliestJobFirst(I)

Accept the earliest starting job j from I which does not overlap any previously accepted job, and repeat until no more such jobs remain.

Earliest Job First is Wrong!

The first job might be so long (War and Peace) that it prevents us from taking any other job.

War and Peace

Shortest Job First

Always take the shortest possible job, so you spend the least time working (and thus unavailable).

ShortestJobFirst(I)


While ($I \neq \emptyset$) do

 Accept the shortest possible job j from I .

 Delete j , and intervals which intersect j from I .

Shortest Job First is Wrong!

Taking the shortest job can prevent us from taking two longer jobs which barely overlap it.



First Job to Complete

Take the job with the earliest completion date:

OptimalScheduling(I)

 While ($I \neq \emptyset$) do

 Accept job j with the earliest completion date.

 Delete j , and whatever intersects j from I .

First Job to Complete is Optimal!

Proof: Other jobs may well have started before the first to complete (say, x), but all must at least partially overlap both x and each other.

Thus we can select at most one from the group.

The first these jobs to complete is x , so selecting any job but x would only block out more opportunities after x .

Questions?

Topic: Proof and Counterexample

Demonstrating Incorrectness

Searching for counterexamples is the best way to disprove the correctness of a heuristic.

- Think about all small examples.
- Think about examples with ties on your decision criteria (e.g. pick the nearest point)
- Think about examples with extremes of big and small...

Induction and Recursion

Failure to find a counterexample to a given algorithm does not mean “it is obvious” that the algorithm is correct.

Mathematical induction is a very useful method for proving the correctness of recursive algorithms.

Recursion and induction are the same basic idea: (1) basis case, (2) general assumption, (3) general case.

$$\sum_{i=1}^n i = n(n+1)/2$$

Questions?